



# Carhaulers & Equipment



- 5" CHANNEL BUGGY HAULER (B5)
- ANGLE PIPE TOP (P8)
- 5" CHANNEL CARHAULER (C5)
- 6" CHANNEL CUSTOM CARHAULER (CC)
- 8" CHANNEL CARHAULER (C8)
- LIGHT DUTY DECKOVER 5" CHANNEL (L5)
- MEDIUM DUTY DECKOVER 6" CHANNEL (L6)



# 5" Channel Buggy Hauler (B5)



**Lengths**  
18' & 20'

102" x 20' (B5) Pictured

## Standard Features

- 7,000 lb. G.V.W.R.
- 3,500 lb. x 2 G.A.W.R.
- 2" Ball Coupler
- Safety Chains
- 1 - Side Wind Drop-Leg Jack (8,000 lb.)
- 2 - Posi-lube Axles, Idler & Brake (3,500 lb.)
- 4 Leaf Double-eye Spring Suspension
- 4 - NEW 15" White Spoke Wheels
- 4 - NEW ST205/75R15 Rad.Tires (1,820 lb.)
- Electric Breakaway Kit w/ Charger
- 9" High Drive Over DP Steel Fenders
- 5' Channel Ramps w/ Holder
- 5" Channel Frame & Tongue
- 3" Channel Crossmembers 24" on Center
- 2" Treated Pine Lumber Deck
- 102" Wide Deck
- 10 Lashing Rings
- DOT Approved Flushmount Lights
- Sealed Wire Harness
- Sand Blasted, Acid Washed, Powder Coated



At PJ Trailers, every trailer we build is powder coated with Sherwin-Williams™ Powder Coat. A powder coat finish is far superior to conventional paint. It is extremely durable and does not easily crack, chip, or peel as conventional paint does. Powdercoating also helps prevent rust & corrosion making it the longest lasting and most durable finish on the market.

## Coupler Options

- BP 2" A-Frame \*
- BP 2 5/16" A-Frame
- BP 2" Adjustable
- BP 2 5/16" Adjustable
- 3" Pintle Eye - Channel-mount (14,000 lb.)

## Axle Options

- (2) 3,500# One Electric / Spring \*
- (2) 3,500# Electric / Spring
- (2) 5,200# One Electric / Spring
- (2) 5,200# Electric / Spring

## Tail Options

- Straight Deck w/ 5' Slide-in Ramps \*

## Color Options

- Black Powdercoat \*
- Equipment Yellow Powdercoat
- Grey Powdercoat
- Red Powdercoat
- Regatta Blue Powdercoat
- Tractor Green Powdercoat
- White Powdercoat

## Other Options

- 2 Flush-mount D-Rings
- Steel Floor
- Spare Tire Mount
- 16"oc Crossmembers

\* denotes a standard feature



# Angle Pipetop (P8)



**Lengths**  
16' - 20'

## Standard Features

- 14,000 lb. G.V.W.R.
- 7,000 lb. x 2 G.A.W.R.
- 2 5/16" Ball Coupler
- Safety Chains
- 1 - Jack (7,000 lb.)
- 2 - Posi-lube Brake Axles (7,000 lb.)
- 6 Leaf Slipper Spring Suspension
- 4 - 16" White Spoke Wheels
- 4 - 235/80R16 Radial Tires (3,520 lb.)
- Electric Breakaway Kit w/ Charger
- 5' Channel Ramps w/ Holder
- 2x3 Angle Upright
- 2 7/8 Pipe Top Rail
- 5" Channel Tongue & 3" x 5" Angle • Frame
- 3" Channel Crossmembers 16" on Center
- 2" Treated Pine Lumber Deck
- Sealed Wire Harness
- Sand Blasted, Acid Washed, Powder Coated



At PJ Trailers, every trailer we build is powder coated with Sherwin-Williams™ Powder Coat. A powder coat finish is far superior to conventional paint. It is extremely durable and does not easily crack, chip, or peel as conventional paint does. Powdercoating also helps prevent rust & corrosion making it the longest lasting and most durable finish on the market.



AIR RIDE SUSPENSION AVAILABLE

## Coupler Options

- BP 2 5/16" Adjustable (14,000 lb.) \*
- Rigid mount 2-5/16 (25,000 lb.)
- GN 2 5/16" Round (30,000 lb.) w/ Toolbox
- GN Load-Leveling 2 5/16" Square (30,000 lb.) & Tbx
- 3" Pintle Eye - Channel-mount (21,000 lb.)
- GN 2 5/16" Square (30,000 lb.) w/ Toolbox
- GN 2 5/16" Round (25,000 lb.) w/ Toolbox
- GN 2 5/16" Square (25,000 lb.) w/ Toolbox

## Axle Options

- (2) 5,200# Electric / Spring
- (2) 5,200# One Electric / Spring
- (2) 7,000# Electric / Drop
- (2) 7,000# Electric / Spring \*
- (2) 7,000# Electric / Torsion
- (2) 7,000# One Electric / Spring
- (2) 7,000# Elec/Hyd Disk / Spring
- (2) 7,000# Oil Bath/Drum Brake / Spring
- (2) 7,000# Dexter Electric / Spring
- (2) 7,000# Dexter Electric / Torsion
- (2) 7,000# Load Range G 14ply Tires Electric / Spring
- (2) 7,000# Load Range G 14ply Tires Electric / Torsion
- (2) 7,000# Load Range G 14ply Tires Hydraulic Drum / Spring
- (2) 7,000# Load Range G 14ply Tires Elec/Hyd Disk / Spring
- (2) 8,000# Oil Bath Axles w / 235-80 Tires Electric / Spring
- (2) 8,000# Load Range G Tires Electric / Spring
- (2) 8,000# Load Range G Tires Electric / Torsion

## Tail Options

- Straight deck w/ 5' Slide-in Ramps \*

## Color Options

- Black Powdercoat \*
- Equipment Yellow Powdercoat
- Grey Powdercoat
- Red Powdercoat
- White Powdercoat

## Other Options

- 1 Pair D-Rings
- LED Lights
- Spare Tire Mount
- Spare Tire and Mount

\* denotes a standard feature



# 5" Channel Carhauler (C5)



**Lengths**  
14' - 20'

83" x 20' (C5) Pictured

## Standard Features

- 7,000 lb. G.V.W.R.
- 3,500 lb. x 2 G.A.W.R.
- 2" Ball Coupler
- Safety Chains
- 1 - Pipe Mount Swivel Jack (5,000 lb.)
- 2 - Posi-lube Axles, Idler & Brake (3,500 lb.)
- 4 Leaf Double-eye Spring Suspension
- 4 - NEW 15" White Spoke Wheels
- 4 - NEW ST205/75R15 Rad.Tires (1,820 lb.)
- Stake Pockets
- Electric Breakaway Kit w/ Charger
- 9" x 72" Treadplate Removable Aluminum Fenders
- 5' Channel Ramps w/ Holder
- 5" Channel Frame & Tongue
- 3" Channel Crossmembers 24" on Center

- 2" Treated Pine Lumber Deck
- 83" Wide Deck
- DOT Approved Flushmount Lights
- Sealed Wire Harness
- Sand Blasted, Acid Washed, Powder Coated



At PJ Trailers, every trailer we build is powder coated with Sherwin-Williams™ Powder Coat. A powder coat finish is far superior to conventional paint. It is extremely durable and does not easily crack, chip, or peel as conventional paint does. Powdercoating also helps prevent rust & corrosion making it the longest lasting and most durable finish on the market.

## Coupler Options

- BP 2" A-Frame \*
- BP 2 5/16" A-Frame
- BP 2" Adjustable
- BP 2 5/16" Adjustable
- 3" Pintle Eye - Channel-mount (14,000 lb.)

## Axle Options

- (2) 3,500# One Electric / Spring \*
- (2) 3,500# Electric / Spring
- (2) 5,200# One Electric / Spring
- (2) 5,200# Electric / Spring

## Tail Options

- Straight Deck w/ 5' Slide-in Ramps \*
- 2' Dovetail w/ 5' Slide-in Ramps
- 4' Dovetail w/ 5' Slide-in Ramps
- 2' Dovetail w/ 2 Fold-up Ramps
- Straight Deck w/ 2 Fold-up Ramps
- 4' Dovetail w/ 2 Fold-up Ramps

## Color Options

- Black Powdercoat \*
- Equipment Yellow Powdercoat
- Grey Powdercoat
- Red Powdercoat
- Regatta Blue Powdercoat
- Tractor Green Powdercoat
- White Powdercoat

## Other Options

- 9" Rear Bumper For Slide-in Ramps
- 2 Flush-mount D-Rings
- Diamond Plate Fenders
- Open Pit Steel Floor
- 2" Pipetop Removable Siderails
- Rubrail
- Steel Floor w/ 4 D-Rings
- Spare Tire Mount
- Rear Trailer Support Jacks
- 16"oc Crossmembers

\* denotes a standard feature



# 6" Channel Custom Carhauler (CC)



**Lengths**  
16' - 24'

## Standard Features

- Front Toolbox (GN Only)
- 14,000 lb. G.V.W.R.
- 7,000 lb. x 2 G.A.W.R.
- 2 5/16" Ball Adjustable Coupler
- Safety Chains
- 1 - Drop Leg Jack (10,000 lb.)
- 2 - Posi-lube Brake Axles (7,000 lb.)
- 6 Leaf Slipper Spring Suspension
- 4 - 16" White Spoke Wheels
- 4 - 235/80R16 Radial Tires (3,520 lb.)
- Stake Pockets
- Electric Breakaway Kit w/ Charger
- 9" x 72" Treadplate Removable Steel
- Fenders**
- 5' Channel Ramps w/ Holder
- Rear Trailer Support Stands
- 6" Channel Frame & Tongue
- 3" Channel Crossmembers 16" on Center
- 2" Treated Pine Lumber Deck
- 83" Wide Deck (80" w/ Torsion or Drop Axles)
- DOT Approved Flushmount Lifetime LED Lights
- Sealed Wire Harness
- Sand Blasted, Acid Washed, Powder Coated

**POWDER COATED**

At PJ Trailers, every trailer we build is powder coated with Sherwin-Williams™ Powder Coat. A powder coat finish is far superior to conventional paint. It is extremely durable and does not easily crack, chip, or peel as conventional paint does. Powdercoating also helps prevent rust & corrosion making it the longest lasting and most durable finish on the market.



AIR RIDE SUSPENSION AVAILABLE

## Coupler Options

- BP 2 5/16" Adjustable (14,000 lb.) \*
- Rigid mount 2-5/16 (25,000 lb.)
- GN 2 5/16" Round (30,000 lb.) w/ Toolbox
- GN Load-Leveling 2 5/16" Square (30,000 lb.) & Tbx
- 3" Pintle Eye - Channel-mount (21,000 lb.)
- GN 2 5/16" Square (30,000 lb.) w/ Toolbox
- GN 2 5/16" Round (25,000 lb.) w/ Toolbox
- GN 2 5/16" Square (25,000 lb.) w/ Toolbox

## Axle Options

- (2) 5,200# Electric / Spring
- (2) 5,200# Electric / Torsion
- (2) 5,200# Hydraulic Drum / Spring
- (2) 7,000# Electric / Drop
- (2) 7,000# Electric / Spring \*
- (2) 7,000# Electric / Torsion
- (2) 7,000# Hydraulic Drum / Spring
- (2) 7,000# Elec/Hyd Disk / Spring
- (2) 7,000# Oil Bath/Drum Brake / Spring
- (3) 7,000# Electric / Spring
- (3) 7,000# Electric / Torsion
- (3) 7,000# Elec/Hyd Disk / Spring
- (2) 8,000# Oil Bath Axles w / 235-80 Tires Electric / Spring
- (2) 8,000# Load Range G Tires Electric / Spring
- (2) 8,000# Load Range G Tires Electric / Torsion
- (3) 8,000# Load Range G Tires Electric / Spring

## Tail Options

- Straight deck w/ 5' Slide-in Ramps \*
- 2' Dovetail w/ 5' Slide-in Ramps
- 2' Dovetail w/ 5' Fold-up Ramps
- Straight deck w/ 5' Fold-up Ramps
- 2' Dovetail w/ HD Fold-up Ramps
- 4' Dovetail w/ 5' Slide-in Ramps
- 4' Dovetail w/ 5' Fold-up Ramps
- 2' Dovetail w/ 3 5' Fold-up Ramps

## Color Options

- Black Powdercoat \*
- Equipment Yellow Powdercoat
- Grey Powdercoat
- Red Powdercoat
- White Powdercoat

## Other Options

- Cold Weather Wiring Harness (7-Way RV)
- 2nd Jack (Bumper Pull)
- Plate for Winch
- 6" Taller GN Riser
- Douglas Fir Lumber
- 9,990 G.V.W.R.
- Rubrail
- 12"oc Crossmembers
- 1 Pair D-Rings
- Rough Oak Floor
- Drive Over Fenders
- Receiver Hitch
- 2 3/8" Removable Pipetop on Siderails
- Diamond Plate Running Boards
- Steel Floor & 4 D-Rings
- Front Toolbox (Bumper Pull)
- 102" Deck Width
- Mount Only for Spare Tire
- Spare Tire and Mount (Bumper Pull)
- Deck on the Neck (GN Only)
- Rear Trailer Support Jacks
- Winch 12VDC (12,000 lb.) Incl. Front Toolbox
- 2-speed Jacks (12,000 lb.)
- HD Trailer 2x Jacks (25k lb.) No Frt T/box GN Only

\* denotes a standard feature



# 8" Channel Carhauler (C8)



**Lengths**  
20' - 40'

## Standard Features

- Front Toolbox (GN Only)
- 14,000 lb. G.V.W.R.
- 7,000 lb. x 2 G.A.W.R.
- 2 5/16" Ball A-Frame Coupler
- Safety Chains
- 1 - Drop Leg Jack (10,000 lb.)
- 2 - Posi-lube Brake Axles (7,000 lb.)
- 6 Leaf Slipper Spring Suspension
- 4 - 16" White Spoke Wheels
- 4 - 235/80R16 Radial Tires (3,520 lb.)
- Stake Pockets
- Electric Breakaway Kit w/ Charger
- 9" x 72" Treadplate Removable Steel Fenders
- 5' Channel Ramps w/ Holder
- Rear Trailer Support Stands
- 8" Channel Frame & Tongue
- 3" Channel Crossmembers 16" on Center
- 2" Treated Pine Lumber Deck
- 83" Wide Deck (80" w/ Torsion Axles)
- DOT Approved Flushmount Lifetime LED Lights
- Sealed Wire Harness
- Sand Blasted, Acid Washed, Powder Coated



At PJ Trailers, every trailer we build is powder coated with Sherwin-Williams™ Powder Coat. A powder coat finish is far superior to conventional paint. It is extremely durable and does not easily crack, chip, or peel as conventional paint does. Powdercoating also helps prevent rust & corrosion making it the longest lasting and most durable finish on the market.



AIR RIDE SUSPENSION AVAILABLE

## Coupler Options

- BP 2 5/16" Adjustable (14,000 lb.) \*
- Rigid mount 2-5/16 (25,000 lb.)
- GN 2 5/16" Round (30,000 lb.)
- GN Load-Leveling 2 5/16" Square (30,000 lb.)
- 3" Pintle Eye - Channel-mount (21,000 lb.)
- GN 2 5/16" Square (30,000 lb.)
- GN 2 5/16" Round (25,000 lb.)
- GN 2 5/16" Square (25,000 lb.)

## Axle Options

- (2) 7,000# Elec / Drop
  - (2) 7,000# Elec / Spring \*
  - (2) 7,000# Elec / Torsion\*\*
  - (2) 7,000# Elec/Hyd Disk / Spring
  - (3) 7,000# Elec / Spring
  - (3) 7,000# Elec / Torsion\*\*
  - (3) 7,000# Elec/Hyd Disk / Spring
  - (2) 7,000# 14Ply Tires Elec / Spring
  - (2) 7,000# 14Ply Tires Elec / Torsion\*\*
  - (2) 7,000# 14Ply Tires Elec/Hyd Disk / Spring
  - (3) 7,000# 14Ply Tires Elec / Spring
  - (3) 7,000# 14Ply Tires Elec / Torsion\*\*
  - (3) 7,000# 14Ply Tires Elec/Hyd Disk / Spring
  - (2) 8,000# 14Ply Tires Elec / Spring\*\*
  - (3) 8,000# 14Ply Tires Elec / Spring\*\*
- \*\* (note only 80" between fenders on CH)

## Tail Options

- Straight deck w/ 5' Slide-in Ramps \*
- 2' Dovetail w/ 5' Slide-in Ramps
- 2' Dovetail w/ 5' Fold-up Ramps
- Straight deck w/ 5' Fold-up Ramp

## Color Options

- Black Powdercoat \*
- Equipment Yellow Powdercoat
- Grey Powdercoat
- Red Powdercoat
- White Powdercoat

## Other Options

- 2nd Jack (Bumper Pull)
- Plate for Winch
- 6" Taller GN Riser
- 9,990 G.V.W.R.
- Rubrail
- 12"oc Crossmembers
- 1 Pair D-Rings
- Oak Floor
- Drive Over Fenders
- Hydraulic Jacks (12,000 lb.)
- Receiver Hitch
- LED Light Package
- 2 3/8" Removable Pipetop on Siderails
- Diamond Plate Running Boards
- Steel Floor & 4 D-Rings
- 102" Deck Width
- Mount Only for Spare Tire
- Spare Tire and Mount (Bumper Pull)
- Deck on the Neck (GN Only)
- Winch 12VDC (12,000 lb.)
- 2-speed Jacks (12,000 lb.)
- 2-speed Jacks, (12,000 lb.) No Front Toolbox

\* denotes a standard feature



# Light Duty Deckover 5" Channel (L5)



**Lengths**  
16' - 20'

### Coupler Options

BP 2 5/16" Adjustable (14,000 lb.) \*  
3" Pintle Eye - Channel-mount (21,000 lb)

### Axle Options

(2) 3,500# Electric / Spring \*

### Tail Options

Straight Deck w/ 6'6" Slide-in Ramps \*

### Color Options

Black Powdercoat \*  
Equipment Yellow Powdercoat  
Grey Powdercoat  
Red Powdercoat  
White Powdercoat

### Other Options

1 Pair D-Rings  
Spare Tire and Mount (Bumper Pull)  
V Shape Front Deck

\* denotes a standard feature

### Standard Features

- 7,000 lb. G.V.W.R.
- 3,500 lb. x 2 G.A.W.R.
- 2 5/16" Adjustable Ball Coupler
- Safety Chains
- 1 - Drop Leg Jack (7,000 lb.)
- 2 - Posi-lube Brake Axles (3,500 lb.)
- 6 Leaf Slipper Spring Suspension
- 4 - 15" White Spoke Wheels
- 4 - 205/75R15 Radial Tires (1,800 lb.)
- Rubrail & Stake Pockets
- Electric Breakaway Kit w/ Charger
- DOT Reflective Tape
- 6' Slide in Ramps w/ Holders
- 5" Channel Tongue
- 5" Channel Frame Main Frame
- 3x2" Angle Channel Crossmembers 16" on Center • 2" Treated Pine Lumber Deck
- 96" Wide Deck
- DOT Approved Flushmount Lifetime LED Lights
- Sealed Wire Harness
- Sand Blasted, Acid Washed, Powder Coated



# Medium Duty Deckover 6" Channel (L6)



**Lengths**  
16' - 20'

### Coupler Options

BP 2 5/16" Adjustable (14,000 lb.) \*  
3" Pintle Eye - Channel-mount (21,000 lb)

### Axle Options

(2) 5,200# Electric / Spring \*

### Tail Options

Straight Deck w/ 6'6" Slide-in Ramps \*

### Color Options

Black Powdercoat \*  
Equipment Yellow Powdercoat  
Grey Powdercoat  
Red Powdercoat  
White Powdercoat

### Other Options

1 Pair D-Rings  
Spare Tire and Mount (Bumper Pull)  
V Shape Front Deck

\* denotes a standard feature

### Standard Features

- 9,990 lb. G.V.W.R.
- 5,200 lb. x 2 G.A.W.R.
- 2 5/16" Adjustable Ball Coupler
- Safety Chains
- 1 - Drop Leg Jack (7,000 lb.)
- 2 - Posi-lube Brake Axles (5,200 lb.)
- 6 Leaf Slipper Spring Suspension
- 4 - 15" White Spoke Wheels
- 4 - 225/75R15 Radial Tires
- Rubrail & Stake Pockets
- Electric Breakaway Kit w/ Charger
- DOT Reflective Tape
- 6' Slide in Ramps w/ Holders
- 6" Channel Tongue
- 6" Channel Frame Main Frame
- 3x2" Angle Channel Crossmembers 16" on Center
- 2" Treated Pine Lumber Deck
- 96" Wide Deck
- DOT Approved Flushmount Lifetime LED Lights
- Sealed Wire Harness
- Sand Blasted, Acid Washed, Powder Coated



# Car haulers & Equipment Options Guide (some options not shown, please view the product page for a list of all options)

## Coupler Options



Bumper Pull



3" Pintle Eye



8" I-Beam Gooseneck (CC)



12" I-Beam Gooseneck (C8)  
24+ ft only

## Color Options



Black Powder Coat



Eq. Yellow Powder Coat



Grey Powder Coat



White Powder Coat



Red Powder Coat

*(actual color may vary)*

## Tail Options



Straight deck w/ 5' Slide-in Ramps



2' Dovetail w/ 5' Slide-in Ramps



Straight deck w/ 5' Fold-up Ramps



2' Dovetail w/ 5' Fold-up Ramps

## Other Options



Receiver Hitch



Rubrail



Winch 12VDC (12,000 lb.)




Deck on the Neck (GN Only)



1 Pair D-Rings



Rough Oak Floor



Steel Floor & 4 D-Rings



Drive Over Fenders



Diamond Plate Running Boards



2 3/8" Pipetop Removable Siderails (CC, C8)



Spare Tire Mount



**TRAILER FLEX** TrailerFlex Air Ride Suspension



## PJ TRAILERS

- #1 Professional Grade Open Trailer Manufacturer
- Broad Line of Dumps, Flatdecks, Utilities, Tilts & Equipment Trailers
- Over 300 Independent PJ Trailers Dealer Locations in the US & Canada

Visit Us Online at [www.pjtrailers.com](http://www.pjtrailers.com)